

## WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Friday, March 10, 2006

[Hide?](#) [Set Name](#) [Query](#)

[Hit Count](#)

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<input type="checkbox"/> L34	L33 and L23	0
<input type="checkbox"/> L33	L32 and (personal computer or PC)	5
<input type="checkbox"/> L32	L3 and (single or standalone) near (computer)	5
<input type="checkbox"/> L31	L30 and L23	0
<input type="checkbox"/> L30	L29 and (personal computer or PC)	15
<input type="checkbox"/> L29	L2 and (single or standalone) near (computer)	15
<input type="checkbox"/> L28	L27 and L23	0
<input type="checkbox"/> L27	L26 and (personal computer or PC)	18
<input type="checkbox"/> L26	L1 and (single or standalone) near (computer)	18
<input type="checkbox"/> L25	L3 and (isolat\$3) same (malicious or virus) with (kernel)	0
<input type="checkbox"/> L24	L2 and (isolat\$3) same (malicious or virus) with (kernel)	1
<input type="checkbox"/> L23	L1 and (isolat\$3) same (malicious or virus) with (security kernel)	4
<input type="checkbox"/> L22	L1 and (isolat\$3) same (malicious or virus) with (kernel)	1
<input type="checkbox"/> L21	L20 and "security kernel"	0
<input type="checkbox"/> L20	L2 and (isolat\$3) same (malicious or virus)	2
<input type="checkbox"/> L19	L2 and L5	0
<input type="checkbox"/> L18	L2 and L4	0
<input type="checkbox"/> L17	L16 and (isolat\$3)	1
<input type="checkbox"/> L16	L15 and "security kernel"	3
<input type="checkbox"/> L15	L3 and (malicious or virus)	23
<input type="checkbox"/> L14	L3 and (malicious or virus) with download\$3	0
<input type="checkbox"/> L13	L3 and L4	0
<input type="checkbox"/> L12	L3 and L5	0
<input type="checkbox"/> L11	L4 and L5	0
<input type="checkbox"/> L10	L4 and "security kernel"	0
<input type="checkbox"/> L9	L5 and "security kernel"	0
<input type="checkbox"/> L8	L6 and "security kernel"	0
<input type="checkbox"/> L7	L6 and (limit\$3 communication)	12
<input type="checkbox"/> L6	isolat\$3 same (malicious or virus) with download\$3 and (security kernel)	13
<input type="checkbox"/> L5	isolat\$3 same (malicious or virus) with download\$3	20
<input type="checkbox"/> L4	(single or standalone) near (computer) adj (PC or personal computer)	16

<input type="checkbox"/>	L3	726/16.ccls.	135
<input type="checkbox"/>	L2	713/166.ccls.	298
<input type="checkbox"/>	L1	713/164.ccls.	311

END OF SEARCH HISTORY

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

isolation, malicious, virus, security kernel, limit  [Search](#) [Advanced Search](#) [Preferences](#)

**Web** Results 1 - 10 of about 734 for isolation, malicious, virus, security kernel, limited communication, do

### Rob Slade's Security Glossary

Glossary of Communications, Computer, Data, and Information Security Terms ...

malicious: a virus known to carry an intentionally damaging payload which ...

[victoria.tc.ca/int-grps/books/techrev/secgloss.htm](http://victoria.tc.ca/int-grps/books/techrev/secgloss.htm) - 359k - [Cached](#) - [Similar pages](#)

### Chapter 7: System Services

\*TechNet Security. \*Security Bulletin Search. \*Virus Alerts ... This limited access helps safeguard your computer if individual services or processes are ...

[www.microsoft.com/technet/security/topics/serversecurity/tcg/tcgch07n.mspx](http://www.microsoft.com/technet/security/topics/serversecurity/tcg/tcgch07n.mspx) - 224k - [Cached](#) - [Similar pages](#)

### SGI TPL (IRIX 6.2: End-User/CSP\_UG - Appendix A. Computer Security ...

A temporary encryption key used between two principals, with a lifetime limited to the duration of a single communications "session." Site Security Officer ...

[techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/0620/bks/SGI\\_EndUser/books/CSP\\_UG/sgi\\_html/apa.html](http://techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/0620/bks/SGI_EndUser/books/CSP_UG/sgi_html/apa.html) - 88k - [Cached](#) - [Similar pages](#)

### SGI TPL (IRIX 6.2: End-User/TCMW\_UG - Appendix A. Glossary Of ...

A temporary encryption key used between two principals, with a lifetime limited to the duration of a single communications "session". SFUG. See Security ...

[techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/0620/bks/SGI\\_EndUser/books/TCMW\\_UG/sgi\\_html/apa.html](http://techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/0620/bks/SGI_EndUser/books/TCMW_UG/sgi_html/apa.html) - 109k - [Cached](#) - [Similar pages](#)

### [PDF] Protecting Clinical Data on Web Client Computers: The PCASSO Approach

File Format: PDF/Adobe Acrobat - [View as HTML](#)

convenient distribution medium for malicious. code. 2. Virus scanners: The most ubiquitous type of. security software for the Windows environment ...

[www.saic.com/healthcare/sysint/pdf/amia1998.pdf](http://www.saic.com/healthcare/sysint/pdf/amia1998.pdf) - [Similar pages](#)

### [PDF] WindowBox: A Simple Security Model for the Connected Desktop

File Format: PDF/Adobe Acrobat - [View as HTML](#)

matically become confined: Whenever the kernel creates. a securable object (ie, an object with a security descrip-. tor) such as a file or a communications ...

[denali.cs.washington.edu/relwork/papers/windowbox.pdf](http://denali.cs.washington.edu/relwork/papers/windowbox.pdf) - [Similar pages](#)

### EFF: Trusted Computing: Promise and Risk

There is a widespread perception that personal computer security is in an unfortunate ...

The security model instead concentrates on software isolation ...

[www.eff.org/Infrastructure/trusted\\_computing/20031001\\_tc.php](http://www.eff.org/Infrastructure/trusted_computing/20031001_tc.php) - 55k -

[Cached](#) - [Similar pages](#)

### [PDF] INFORMATION TECHNOLOGY SECURITY HANDBOOK

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In the personal computer context, if you ignore security ... you sent a malicious computer virus to everyone. in your address book? ...

[www.infodev.org/files/834\\_file\\_IT\\_Security.pdf](http://www.infodev.org/files/834_file_IT_Security.pdf) - [Similar pages](#)

### NSRP: Glossary

A person who aspires to be a **malicious** hacker but has **very limited** knowledge ...  
**Communications Security**- Measures taken to deny unauthorized persons access ...  
[www.gslis.utexas.edu/~netsec/gloss.html](http://www.gslis.utexas.edu/~netsec/gloss.html) - 136k - [Cached](#) - [Similar pages](#)

**4th USENIX Windows Systems Symposium Paper**

Such **isolation** would allow a user to access an enterprise Intranet safely from the same ...  
Only the **kernel** can modify the **security** descriptor of an object, ...  
[www.sagecertification.org/events/usenix-win2000/full\\_papers/balfanz/balfanz\\_html/index.html](http://www.sagecertification.org/events/usenix-win2000/full_papers/balfanz/balfanz_html/index.html) - 61k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google [e ►  
Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator](#).

isolation, malicious, virus, security kernel [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google